



STAFF REVIEW AND RECOMMENDATION

Variance Case #: V2016-52 **Legistar #:** 20160996

City Council Hearing: **Thursday, October 13, 2016 – 6:00 p.m.**

Property Owner: **Life University**
William D. Jarr
1269 Barclay Circle
Marietta, GA 30060

Applicant: **Larry Riddle**
1269 Barclay Circle
Marietta, GA 30060

Address: **1266 Barclay Circle**

Land Lots: 501, 508, 509, 572 **District:** 17 **Parcel:** 0150

Council Ward: 1A **Existing Zoning:** OI (Office Institutional)

Special Exception / Special Use / Variance(s) Requested:

1. Variance to allow a billboard (scoreboard) not within 100 feet of the right of way of Interstate 75. [*§714.04 (G)*]
2. Variance to waive the requirement that a billboard (scoreboard) be regulated as a principal use and designated on an exemption plat filed with the Cobb County Superior Court. [*§714.04 (G.2)*]
3. Variance to allow a billboard (scoreboard) within 500 feet of a school or park. [*§714.04 (G.3)*]
4. Variance to allow a billboard (scoreboard) be multi-message without within 500 feet of a school or park. [*§714.04 (G.4)*]
5. Variance to allow a billboard (scoreboard) on a lot with a building with signage. [*§714.04 (G.9)*]
6. Variance to allow a billboard (scoreboard) in the OI zoning district. [*§714.04 (G.11)*]
7. Variance to waive the exchange requirements for digital panels. [*§714.04 (G.13.b)*]

Statement of Fact

As per section 720.03 of the Comprehensive Development Code of Marietta, the Board of Zoning Appeals may alter or modify the application of any such provision in the Development Code because of unnecessary hardship if doing so shall be in accordance with the general purpose and intent of these regulations, or amendments thereto, and only in the event the board determines that by such alteration or modification unnecessary hardship may be avoided and the public health, safety, morals and general welfare is properly secured and protected. In granting any variance the board of zoning appeals shall designate such conditions in connection therewith as will, in its opinion, secure substantially the objectives of these regulations and may designate conditions to be performed or met

by the user or property owner, out of regard for the public health, safety, comfort, convenience, and general welfare of the community, including safeguards for, with respect to light, air, areas of occupancy, density of population and conformity to any master plan guiding the future development of the city. The development costs of the applicant as they pertain to the strict compliance with a regulation may not be the primary reason for granting a variance.

Criteria:

1. Exceptional or extraordinary circumstances or conditions *are/are not* applicable to the development of the site that do not apply generally to sites in the same zoning district.
2. Granting the application *is/is not* necessary for the preservation and enjoyment of a substantial property right of the applicant, and to prevent unreasonable property loss or unnecessary hardship.
3. Granting the application *will/will not* be detrimental or injurious to property or improvements in the vicinity of the development site, or to the public health, safety, or general welfare.

PICTURES



Back of scoreboard from Barclay Circle




Scoreboard facing athletic field

Staff Review:

Life University is requesting variances from the sign regulations that would allow them to keep a scoreboard at their athletic field that is used for rugby and soccer. The scoreboard was installed earlier this month with the understanding that the University might have to remove or relocate the sign if the variances are not approved.

The scoreboard is 12' 10" x 25' (320.8 sq. ft.), 25' 10" in height, and located on the north side of the athletic field – the back of the scoreboard is visible from Barclay Circle. (See rendering of the scoreboard below.)

The Marietta sign regulations identify a billboard sign as “A detached sign which has a sign area greater than 250 square feet.” So even though they are completely different, by this definition the scoreboard would be considered a billboard, and it would be subject to billboard regulations. In order to keep the scoreboard, Life University is requesting seven (7) variances from the regulations pertaining to billboards. Most of the regulations are meant to control the specific location of the billboard in relation to surrounding properties.



Many schools and universities have scoreboards associated with their athletic fields, but most of those institutions are associated with a jurisdiction that is not subject to the City of Marietta’s zoning regulations, i.e. Marietta City Schools (Marietta High School). Unlike public institutions, Life University is a private institution that must comply with zoning regulations.

Life University’s property is zoned OI (Office Institutional) and is located along both sides of Barclay Circle. Adjacent to the north are properties within the Kennesaw State University - Marietta Campus, which are also zoned OI. Adjacent to the west are properties owned by either Life University or by the City of Marietta, all of which are also zoned OI. To the east are properties that front onto Cobb Parkway that are zoned CRC (Community Retail Commercial). To the south are properties that are within Cobb County’s jurisdiction that are zoned OI.



Department of Development Services
205 Lawrence Street
Marietta, GA 30060
Brian Binzer, AICP, Director

APPLICATION FOR VARIANCE OR APPEAL

(Owner/Applicant/or Representative must be present at all public hearings)

For Office Use Only:

Application #: V2016-52 Legistar #: 20160996 BZA Hearing Dt:
City Council Hearing Dt (if applicable) #: PZ #:

This is a variance/appeal application for: Life University Rugby/Soccer Field Scoreboard installation

Board of Zoning Appeals checkbox (checked)

Board of Zoning Appeals

City Council checkbox

City Council

Owner's Name: William D. Jarr
Address: 1269 Barclay Circle, Marietta, GA. Zip Code: 30060
Telephone Number: 770-426-2623 Email Address: wdjarr@life.edu

COMPLETE ONLY IF APPLICANT IS NOT OWNER:

Applicant: LARRY RIDDLE
Address: 1269 Barclay Circle, Marietta, GA Zip Code: 30060
Telephone Number: 770-426-2873 Email Address: Larry.Riddle@Life.edu

Address of property for which a variance or appeal is requested:

1266 (1269) Barclay Cir, Marietta, GA. Date of Acquisition: 9/12/74
Land Lot(s) 572 District 17 Parcel 17050800150 Acreage Zoned Ward FLU

List the variance(s) or appeal requested (please attach any additional information):

Erect/Install Athletic Field Scoreboard/Signage

Required Information

- 1. Application fee (\$250)
2. Completed notarized application. The original application must be submitted with ALL original signature(s) - Copies of the application or signature(s) will NOT be accepted.
3. Copy of the deed that reflects the current owner(s) of the property.
4. Letter describing the reason for the variance request, stating why strict adherence to the code would result in a particular hardship...
5. Site plan - drawn to scale. Site plans must illustrate property lines and all relevant existing information and conditions...
6. Copy of current tax bill showing payment or documentation certified by the City of Marietta Tax Office.
7. Documentation authorizing applicant to submit application by property owners if applicant is not owner.

Note: The Department of Development Services reserves the right to obtain additional information that reasonably may be required in order that an informed decision may be made.

OVER



Executive Vice President of Finance
(770) 426-2623

September 13, 2016

City of Marietta
Planning and Zoning Division
205 Lawrence Street
Marietta, GA 30060

Gentlemen:

Life University, Inc. is pursuing a permit and is requesting a variance from a zoning standard for the installation of a scoreboard for its newly renovated lower athletic field. The application for permit and variance are attached. The University recognizes its obligation to insure that all the appropriate information has been provided and the required fees paid and that this is subject to the approval of the Board of Zoning Appeals. The newly installed scoreboard augments a previously installed scoreboard at the lower athletic field. The University accepts the risk of the cost of removal or relocation of the new scoreboard should the request for variance by the Board not be approved.

Life University is very much appreciative of the efforts extended by the City's staff in this effort.

Should there be any questions in the interim, feel free to contact me directly at 770.426.2623 or by email at wjarr@life.edu.

Regards,
Life University, Inc.

A handwritten signature in black ink, appearing to read "W. Jarr", with a long horizontal flourish extending to the right.

William D. Jarr
Executive Vice President for Finance

Like us on  : LIFE.edu | Follow us on  : LifeUniversity | Watch us on  : LifeatLIFE

1269 Barclay Circle | Marietta, GA 30060 | (770) 426-2601 | Fax (770) 429-4819 | (800) 543-3202 | www.LIFE.edu

TO: Marietta Daily Journal

FROM: City of Marietta

RUN AD DATE: September 30, 2016

PUBLIC NOTICE OF VARIANCES

The City of Marietta hereby gives notice that a public hearing will be held to give consideration to the following variance requests at the City Council meeting held on **Thursday, October 13, 2016, 7:00 p.m.**, City Hall, for a final decision to be made.

V2016-52 [VARIANCE] LIFE UNIVERSITY (WILLIAM D. JARR) is requesting variances for property located in Land Lots 501, 508, 509, and 572, District 17, Parcel 0150, 2nd Section, Marietta, Cobb County, Georgia and being known as 1266 Barclay Circle. Variance to allow a billboard (scoreboard) not within 100 feet of the right of way of Interstate 75; variance to waive the requirement that a billboard (scoreboard) be regulated as a principal use and designated on an exemption plat filed with the Cobb County Superior Court; variance to allow a billboard within 500 feet of a school or park; variance to allow a billboard (scoreboard) to be multi-message within 500 feet of a school or park; variance to allow a billboard (scoreboard) on a lot with a building with signage; variance to allow a billboard (scoreboard) in the OI zoning district; variance to waive the exchange requirements for digital panels. Ward 1A.


A description and plat of the property sought for the rezoning and future land use assignment are on file in the Planning and Zoning Office, City Hall, and is available for inspection between 8:00 A.M. and 5:00 P.M., Monday through Friday. Anyone wishing to attend may do so and be heard relative thereto.

For additional information please call the Planning and Zoning Office (770) 794-5669.

Accessibility to Meetings: If you believe you may need the City/BLW to provide special accommodations in order to attend/or participate in any of the above meetings, please call Mr. Patrick Henley, ADA Coordinator, at 770-794-5558 (voice) or 770-794-5560 (TDD) no later than 48 hours before the date of the above meeting.

City of Marietta
205 Lawrence Street
Marietta, Georgia 30060

Variance




Address	Parcel Number	Acreage	Ward	Zoning	FLU
1266 BARCLAY CIR	17050800150	49.711	1A	OI	CSI

Property Owner:	William D. Jarr (Life University)
Applicant:	Larry Riddle
City Council Hearing Date:	10/13/2016
Acquisition Date:	
Case Number:	V2016-52
City of Marietta Planning & Zoning	

Zoning Symbols

- Railroads
- City Limits
- Cobb County Pockets
- NA
- R1 - Single Family Residential (1 unit/acre)
- R2 - Single Family Residential (2 units/acre)
- R3 - Single Family Residential (3 units/acre)
- R4 - Single Family Residential (4 units/acre)
- RA4 - Single Family Residential - Attached
- RA6 - Single Family Residential - Attached
- RA8 - Single Family Residential - Attached
- MHP - Mobile Home Park
- PRD-SF - Planned Residential Dev. Single Family
- RM8 - Multi Family Residential (8 units/acre)
- RM10 - Multi Family Residential (10 units/acre)
- RM12 - Multi Family Residential (12 units/acre)
- RHR - Residential High Rise
- PRD-MF - Planned Residential Dev Multi Family
- NRC - Neighborhood Retail Commercial
- CRC - Community Retail Commercial
- RRC - Regional Retail Commercial
- PCD - Planned Commercial Development
- LI - Light Industrial
- HI - Heavy Industrial
- PID - Planned Industrial Development
- MXD - Mixed Use Development
- CBD - Central Business District
- OIT - Office Institutional Transitional
- LRO - Low Rise Office
- OI - Office Institutional
- OS - Office Services
- OHR - Office High Rise




NOTES:
 DISPLAY & CONNECTION
 DESIGN BY OTHERS.
 ELECTRICAL DESIGN
 BY OTHERS.

NOTES

- 1.0 REFERENCE
- 1.1 REFER TO DAKTRONICS PROPOSAL DRAWING FOR DISPLAY COMPONENT SPECIFICATIONS.
 - 1.2 REFER TO DAKTRONICS WIRING DIAGRAM FOR ALL ELECTRICAL POWER AND SIGNAL SPECIFICATIONS.
 - 1.3 REFER TO INSTALLATION AND MAINTENANCE MANUAL FOR COMPLETE INSTALLATION INSTRUCTIONS.
 - 1.4 ALL DIMENSIONS ARE IN FEET AND INCHES.
- 2.0 PROJECT RESPONSIBILITY
- 2.1 THIS DESIGN IS INTENDED TO BE INSTALLED AT THE ADDRESS SHOWN AND SHOULD NOT BE USED AT ANY OTHER LOCATIONS.
 - 2.2 DAKTRONICS IS RESPONSIBLE FOR ALL NEW STRUCTURE.
 - 2.3 CUSTOMER'S SUBCONTRACTORS SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS PRIOR TO INSTALLATION.
 - 2.4 ALL SUBCONTRACTORS SHALL PERFORM WORK IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND OR LOCAL REGULATIONS.
 - 2.5 EACH SUBCONTRACTOR IS RESPONSIBLE FOR JOBSITE SAFETY.
 - 2.6 DAKTRONICS SUBCONTRACTOR IS SOLELY RESPONSIBLE FOR DESIGNING AND PROVIDING TEMPORARY BRACING FOR STABILITY OF UNINSTALLED EQUIPMENT AND STRUCTURE.
 - 2.7 EACH SUBCONTRACTOR IS RESPONSIBLE FOR THE REMOVAL AND DISPOSAL OF WASTE MATERIALS ON THE JOBSITE.
 - 2.8 DISPLAY CLIP ANGLES ARE ATTACHED TO STRUCTURE BY CUSTOMER'S SUBCONTRACTOR.
- 3.0 DISPLAY NOTES
- 3.1 DAKTRONICS DISPLAYS ARE ALUMINUM CONSTRUCTION.
 - 3.2 ELECTRICAL COMPONENTS ARE ACCESSED FROM THE FRONT.
 - 3.3 LEFT POINTS ARE PROVIDED BY DAKTRONICS IN EACH SECTION (ALL REMOVABLE LEFT POINTS SHALL BE REMOVED AFTER THE INSTALLATION OF EACH SECTION).
 - 3.4 WHEN LIFTING SECTIONS THE PREFERRED METHOD IS TO USE A SPREADER BEAM TO DISTRIBUTE WEIGHT ALONG ALL LIFE POINTS PROVIDED. FOR ALTERNATE METHOD OF LIFTING REFER TO INSTALLATION MANUAL.
 - 3.5 DAKTRONICS DYWIDAG TYPED DISPLAYS ARE SUPPLIED WITH T-CLIP ANGLES ATTACHED TO DISPLAY SECTIONS WITH 6/8" GRADE A325 GALVANIZED HARDWARE AT ALL PREDETERMINED LOCATIONS.
 - 3.6 DAKTRONICS SCOREBOARD DISPLAYS ARE SUPPLIED WITH ROCKER CLAMPING HARDWARE THAT ATTACHES TO DISPLAY SECTIONS WITH 1/2" GRADE 5 HARDWARE AT ALL PREDETERMINED LOCATIONS.
 - 3.7 DAKTRONICS AD PANELS ARE SUPPLIED WITH CLIP ANGLES OR ROCKER CLAMPING HARDWARE THAT ATTACHES TO DISPLAY SECTIONS WITH 1/2" GRADE 5 HARDWARE AT ALL PREDETERMINED LOCATIONS.
 - 3.8 DAKTRONICS ACCENT TRUSSES ARE SUPPLIED WITH ROCKER CLAMPING HARDWARE THAT ATTACHES TO DISPLAY SECTIONS AT ALL PREDETERMINED LOCATIONS.
 - 3.9 CEILING OF CABINET MAY VARY DEPENDING ON DISPLAY TECHNOLOGY.

- 4.0 STRUCTURAL NOTES
- 4.1 COMPLY WITH THE PROVISIONS OF THE FOLLOWING LATEST EDITIONS BUT NOT LIMITED TO THESE ONLY:
 - ALL FEDERAL, STATE AND LOCAL LAWS THAT GOVERN SAFETY REQUIREMENTS FOR STEEL ERECTION.
 - AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC) "CODE OF STANDARD PRACTICE FOR STEEL BUILDINGS AND BRIDGES" AND "SPECIFICATIONS FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS"
 - AMERICAN WELDING SOCIETY (AWS) STANDARD CODE D1.1 "STRUCTURAL WELDING CODE"
 - AISC "SPECIFICATION FOR STRUCTURAL STEEL USING ASTM A36 OR A572 GRADE 50" APPROVED BY THE RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS.
 - AISC-318 "BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE AND COMBINATION"
 - AISC "SPECIFICATION FOR STRUCTURAL STEEL USING ASTM A36 OR A572 GRADE 50"
 - AISC "SPECIFICATION FOR STRUCTURAL STEEL USING ASTM A36 OR A572 GRADE 50"
 - AISC "SPECIFICATION FOR STRUCTURAL STEEL USING ASTM A36 OR A572 GRADE 50"
 - 4.2 STRUCTURAL STEEL GRADE
 - FLAT, ANGLE, AND CHANNEL SHALL BE ASTM A36 (Fy=36 ksi)
 - HOLLOW STRUCTURAL STEEL TUBE SHALL BE ASTM A500-B (Fy=48 ksi)
 - WIDE FLANGE AND WT SHALL BE ASTM A992-50 (Fy=50 ksi)
 - 4.3 BOLTS AND NUTS
 - GRADE 5 HARDWARE SHALL BE ACCEPTABLE WHERE SPECIFIED ON DRAWINGS.
 - STRUCTURAL HEX NUTS SHALL BE MINIMUM ASTM A563-0H
 - STRUCTURAL WASHERS SHALL BE MINIMUM ASTM F438
 - ALL HEAVY HEX STRUCTURAL BOLTS, ANCHOR RODS, NUTS & WASHERS SHALL BE GALVANIZED PER THE LATEST EDITION OF ONE OF THE FOLLOWING ASTM STANDARDS: ASTM A153 (CLASS C) OR ASTM B 695 (CLASS 50)
 - ALL BOLTS IN CONTACT WITH ALUMINUM SHALL BE ZINC PLATED GALVANIZED AND SHALL BE MINIMUM ASTM A325.
 - ALL BOLTS SHALL BE FULLY PRETENSIONED PER APPROVED METHODS LISTED IN AISC STANDARDS U4.10.
 - 4.4 CONCRETE AND GROUT
 - CONCRETE SHALL BE PLACED TO ACI CODES AND STANDARDS OF PRACTICE. CONSTRUCTION JOISTS ARE NOT ALLOWED.
 - INDIVIDUAL FOUNDATIONS SHALL BE POURED IN A CONTINUOUS POUR.
 - ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH AT 28 DAYS OF 4000 PSI.
 - NON-SHrink GROUT SHALL COMPLY TO ASTM C-1107.
 - 28 DAYS OF GROUT FOR SUPPORTING 4000 PSI CONCRETE AND SHALL BE SLOPED AWAY FROM COLUMNS IN ALL DIRECTIONS AT A MINIMUM 2:05 SLOPE.
 - FOR DIRECT EXPOSED COLLARS, EQUIPMENT CAN BE INSTALLED ON STRUCTURE AFTER A MINIMUM CURING TIME OF 7 DAYS. PROVIDED THE CURING PROCESS HAS BEEN PROPERLY MANAGED IN ACCORDANCE WITH AISC-318.
 - 4.5 STRUCTURAL STEEL WELDING
 - ALL WELDING (SHOP & FIELD) SHALL BE PERFORMED BY A WELDER CERTIFIED FOR THE SPECIFIED TYPE AND POSITION OF THE REQUIRED WELD.
 - ALL WELDING SHALL BE IN ACCORDANCE WITH AWS D1.1.
 - SHIELDED METAL ARC WELDING PROCESSES SHALL BE USED TO PERFORM WELDS.
 - LOW HYDROGEN E70 SERIES ELECTRODES TO BE USED WITH SHAW PROCESS.
 - ALL HOLLOW STRUCTURAL STEEL SECTIONS SHALL BE CAPPED AND WELDED ALL AROUND TO PREVENT WATER FROM ENTERING THE SECTION.
 - SELF-SEALING TEK SCREWS SHALL NOT BE USED FOR ATTACHMENT INTO HOLLOW STRUCTURAL STEEL SECTIONS UNLESS A SPECIAL SEALANT IS USED TO PREVENT WATER FROM ENTERING SECTION.
 - ANY OTHER PENETRATIONS INTO HOLLOW STRUCTURAL STEEL SECTIONS SHALL BE PROPERLY SEALED TO PREVENT WATER INTRUSION.
 - 1500 PSI DESIGN CRITERIA:
 - WIND SPEED=115 MPH, EXPOSURE C
 - CATEGORY II
 - DESIGN WIND PRESSURE=23.12 PSF (ASD)
 - ALLOWABLE VERTICAL BRACING PRESSURE= 1500 PSF/FT



21.10 CU. YDS. OF CONCRETE REQ'D

21'-0"

ELEVATION

UTILITY LINES APPROX. 24" BELOW GRADE. LOCATION TO BE VERIFIED

SEE REBAR SCHEDULE


W12x53

4" DIA. PVC PIPE SHALL NOT BE LESS THAN 12" MAX. FROM EDGE & EXTEND 6" MIN. BEYOND THE FOUNDATION

REBAR SCHEDULE

DO NOT WELD REBAR 3" MIN. CONC. COVER

PLACEMENT	SIZE	SPACING	QUANTITY
LONG BOTTOM STEEL	#5	12"	21
LONG TOP STEEL	#4	12"	21
BOTTOM CROSS STEEL	#4	12"	8
TOP CROSS STEEL	#4	12"	8



INSTALLATION ADDRESS:

LIFE UNIVERSITY - RUGBY PITCH
 1269 BARCLAY CIRCLE
 MARIETTA, GA 30050

CLIENT:

DAKTRONICS

331 32nd AVENUE
 BROOKINGS, SD 57006

LINK Engineering, L.L.C.

133 South David Lane • Knoxville, Tennessee 37922
 Phone: (615) 533-4001 • Fax: (615) 533-0551
 Online: www.linkeng.com


ENT. 1 OF 1

DATE: 09/15/16

Project Number: 16-0975R
 Drawing Number: B119815R

9/15/16

SURVEY NOTE:
 EXISTING CONDITIONS BASED ON A GROUND RUN TOPOGRAPHIC SURVEY PREPARED BY MCIFLAND DYER & ASSOCIATES DATED 2/22/16. ONSITE CIVIL GROUP LLC TAKES NO LIABILITY FOR THE ACCURACY OF THIS SURVEY. CONTRACTORS AND SUB-CONTRACTORS A RESPONSIBLE FOR VERIFICATION OF FIELD CONDITIONS.




* Light Pole
 □ Concrete Pad for Scoreboard

ON SITE
 CIVIL GROUP
 140 HUNTINGWOOD RD., SUITE 100-100, MARIETTA, GA 30067
 PH: (770) 499-9999
 WWW.ONSITECIVIL.COM
 INFO@ONSITECIVIL.COM

THESE DRAWINGS ARE THE PROPERTY OF ONSITE CIVIL GROUP, LLC AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF ONSITE CIVIL GROUP, LLC.



REVISIONS	
No.	DATE DESCRIPTION
1	4/12/16 CITY COMMENTS
2	4/12/16 CITY COMMENTS



DELUXE ATHLETICS
 86 SCOTT DRIVE
 MARIETTA, GEORGIA 30067
 CONTACT: CHRIS DANILUK
 PHONE: 678-560-5336

LIFE UNIVERSITY
 ARTIFICIAL TURF
 SOCCER / RUGBY FIELD
 PARCEL ID 7950860150
 1569 BARCLAY CIRCLE
 LL57217TH DISTRICT
 MARIETTA, COBB COUNTY
 GEORGIA

GRADING AND DRAINAGE PLAN

DATE: 3/21/16
 PROJECT: 15-008

SHEET: C 501

24 HOUR CONTACT:
 CHRIS DANILUK
 678-560-5336



- Overall Dimensions
15'0" high x 25'0" wide

- Accent Truss
DA-1001-25
4'0" high x 25'0" wide

- Soccer Scoreboard
SO-2043-APV
8'0" high x 25'0" wide

- Non-Backlit Sponsor Panel
(below scoreboard)
3'0" high x 25'0" wide

ALL DIMENSIONS ARE APPROXIMATE

LIFE UNIVERSITY MARIETTA, GA

Do not use for design/engineering or ad copy approval.

Copyright © 2016 Daktronics DD3364998 [05-19-16 (Rev0 revised 00-00-00)]

The details and expressions shown are conceptual in nature, confidential and proprietary. Final design and appearance may differ from artwork shown.

All registered trademarks are the property of the registrant and their use does not imply endorsement of Daktronics. Do not reproduce by any means without the expressed written consent of Daktronics, Inc.

